2、SG08 Hydraulic Motors for SH200A3 SH200A1 HD700V2 E200B Crawler Excavators Swing Motor for Excavator Repair & Maintenance

Basic Information

- Place of Origin:
- Brand Name:Model Number:
- Model Number: SG08Minimum Order Quantity: 1 piece
- Price:
- Packaging Details:
- Delivery Time:
- Customization time depend on specific circumstances
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
 Supply Ability: 900 pieces per month

6month

China

HALCYON

Negotiable

Wooden Box+Pallet

In Stock: 1-3 day(s); Out of Stock:



Product Specification

- Warranty:
- Application:
- Color:
- Part Name:
- After-sales Service
 Provided:
- Type:
- Excavator Black Or Printed Swing Motor Online Support





More Images







oduct Description

Product Description

SG08 SH200A3 Swash plate plunger motor

1. Product application:

excavators, drilling rigs, garden machinery and other small travel machinery up to 4 tons;

2. Product characteristics

- Rated pressure PN 210 bar, maximum pressure Pmax 300 bar.
- Total power control, short control time, energy saving and high efficiency;
- Special "single inlet and four outlet" oil port, which can better meet the small flow rate of multi-loop hydraulic system;
- High-quality ductile iron cylinder body and double alloy port plate, which are well suited to the use of light engine;
- Flexible power adjustment according to needs, better meet the needs of various working conditions;
- Swash Plate structure for hydrostatic transmission in open loop systems;
- Flow rate proportional to drive speed and displacement, infinitely adjustable by adjusting the swash plate angle;
- Good oil suction performance, low noise level;
- Compact and lightweight construction with high power/weight ratio;

Displacement	55/31.37ml/r
Working pressure	28Mpa
Input flow	90L/min
Output speed	1636/2869r/min
Brake torque	144.6N*m



Product Performance Features High Torque Density

Adopts a compact design with optimized gear or piston structures to achieve high torque output in a small volume, making it ideal for applications with limited space but requiring high torque drive.

Bidirectional Rotation Capability

Supports forward and reverse rotation switching, enabling rapid response to the reciprocating swing requirements of working mechanisms, such as the arm swing of excavators or the slewing motion of cranes.

Precise Control

Equipped with high-precision hydraulic control valves to enable smooth speed regulation (typically 0-1200 rpm) and positioning accuracy, meeting the requirements of delicate operations.

High Pressure Resistance and Impact Resistance

With a rated working pressure of 25-35 MPa, it can withstand instantaneous pressure peaks and adapt to heavy-load working conditions (e.g., load fluctuations during hard rock excavation).

High-Efficiency Energy Conversion

Mechanical efficiency typically exceeds 90%, reducing energy loss, minimizing system heat generation, and enhancing the

for more products please visit us on hydraulicmachineryparts.com

overall economy of the hydraulic system.

Looking for more?

We can offer perfect interchangeable replacements of many world's renowned brands including Rexroth,Eaton,Parkers, Kawasaki,Tokimeot,Sauer-danfoss, Komatsu and so on. Check below Models that we commonly offer:

Brand Name Model Number (If you can't find what you want, please contact us for help)	
A10VSO10/18/28/45/60/63/71/85/100/140	
A2F12/23/28/55/80/107/160/200/225/250/350/500/1000	
A4VSO40/45/50/56/71/125/180/250/355/500/750/1000	
A7VO28/55/80/107/160/200/250/355/500	
A7V028/55/80/107/160/200/250/355/500 A6VM28/55/80/107/140/160/200/250/355/500/1000	
A7V12/28/55/80/107/160/200/225/250/355/500	
A11V40/60/75/95/130/145/160/190/200/210/260	
A10VG18/28/45/63	
A4VG28/40/56/71/90/125/180/250	
A15VSO175/210/280	
AP2D25/36	
K3V63/112/140/180/280DT	
K3SP36/K7SP36/K7V63	
K5V80/140/160/180/200	
M2X22/45/55/63/96/120/128/146/150/170/210 SWING	
M5X130/180 SWING	
GM18/35VL/35VA	
HPV 90/95/132/140/165	
PC30/40/45/60-3/5	
PC60-7 PC200-3/5 PC220-6/7 PC200-6/7 PC300-6/7 PC360-7	
PC400-7	
PC200-6/7/8, PC360-7	
SBS80/120/140 CAT312C/320C/325C	
CAT320 (AP-12)	
CAT12G/14G/16G/120G/140G	
SPK10/10(E200B) SPV10/10(MS180)	
EATON 3331/4621(4631)/5421 (5431)/6423/7620(7621)	
PVE19/21 TA19	
PVH45/57/74/98/131/141	
PVB92	
SG02/04/08/12/15/17/20/25 SWING	
GM03/05/06/07/08/09/10/17/18/20/23	
GM03/05/06/07/08/09/10/17/18/20/23/24/28/35/38VL	
GM35VA	
A10/16/22/37/40/45/56/70/90/100/125/145/220	
PV16/20/23/28/32/40/46/63/80/92/140/180/270	
HPV091/102/116/118/145	
PV90R30/42/55/75/100/130/180/250	
PV20/21/22/23/24/25/26/27	
MPV025/035/044/046 MPT025/035/044/046	



Company Profile








ABOUT US

Guangzhou Halcyon-Hydraulic Co. Ltd was founded in 2010 and is located in Guangzhou National High-tech Development Zone. Our main business is to develop and manufacture high pressure piston pumps, motors, spare parts, integrated products of hydraulic system, and equipments repairing and remanufacturing. The company has passed IS09001 quality certification, and has been awarded as "Contract and Trust worthy Enterprise" and "Guangdong High-tech Enterprise".







Q3. Can I have free samples?

A. Usually no, but negotiable according to different products and orders.

Q4. What's the delivery time?

A. 10-60 days after payment, according to different products and orders.

Q5.How to order?

A. Inquiry \rightarrow Quotation \rightarrow Negotiation \rightarrow Samples \rightarrow PO/PI \rightarrow Down payment \rightarrow Mass production

Tags: <u>Excavator Swing Motor,</u> <u>Swing Motor In Excavator,</u> <u>Excavator Hydraulic Swing Motor</u>

HALCYON

Guangzhou Halcyon hydrauli co ., ltd/Guangzhou Huaxin Hydraulic Co., Ltd.

+8619700288729

C chenpei@halcyon-hydraulic.com C hydraulicmachineryparts.com

Room 101, No. 1, Canghai Second Road, Economic And Technological Development Zone, Guangzhou, Guangdong, China