# For Caterpillar CAT320c Hydraulic Motors-M5X130 Steel Swing Motor for Truck Mounted Excavator

## **Basic Information**

- Place of Origin:
- Brand Name:
- Model Number: M5X130Minimum Order Quantity: 1 piece
- Price:
- Packaging Details:
- Delivery Time:
  - Customization time depend on specific circumstances
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
  Supply Ability: 900 pieces per month

Negotiable

Wooden Box+Pallet

In Stock: 1-3 day(s); Out of Stock:

China HALCYON



### **Product Specification**

- Warranty:
- Application:

Color:

- Part Name:
- After-sales Service Provided:
- Packing:
- Printed Swing Motor Online Support

6month

Excavator

Wooden Box



### More Images





#### roduct Description

M5X130 Hydraulic Excavator Swing Motor for CAT320c Truck-mounted Excavator Parts

# ALCYON

## **Product Description**

## M5X130Excavator Swing Motor for CAT320c Product Features

High starting torque efficiency: It can quickly reach the required torque during startup, reducing startup time and energy loss. This enables more efficient driving of equipment operation, making it suitable for working scenarios where equipment such as excavators need frequent start-stop operations.

Compact structure: Adopting a compact design, it occupies small space and is easy to install inside mechanical equipment with limited space, such as the slewing mechanism of excavators. While saving installation space, it also facilitates the overall layout design of the equipment.

High overall efficiency: It has high energy conversion efficiency, which can efficiently convert input hydraulic energy into mechanical energy, reducing energy loss and system heat generation. This improves the economy and working stability of the hydraulic system and can effectively reduce the operating cost of the equipment.

Dual slewing mechanism: Equipped with a dual slewing mechanism, it can achieve relatively flexible slewing actions, meeting the operational needs of equipment under different working conditions.

Adjustable displacement: Its displacement can be adjusted within a certain range. The output speed is determined by the pump flow and motor displacement, and the torque can increase with the pressure difference between high and low pressure sides and the increase of displacement. It can flexibly adjust output characteristics according to actual working load conditions.



#### Looking for more?

We can offer perfect interchangeable replacements of many world's renowned brands including Rexroth, Eaton, Parkers, Kawasaki, Tokimeot, Sauer-danfoss, Komatsu and so on. Check below Models that we commonly offer:

	· · · · · · · · · · · · · · · · · · ·
Brand Name	Model Number (If you can't find what you want, please contact us
	for help)

Brand Name	Model Number (If you can't find what you want, please contact us for help)
Rexroth	A10VSO10/18/28/45/60/63/71/85/100/140
	A2F12/23/28/55/80/107/160/200/225/250/350/500/1000
	A4VSO40/45/50/56/71/125/180/250/355/500/750/1000
	A7VO28/55/80/107/160/200/250/355/500
	A6VM28/55/80/107/140/160/200/250/355/500/1000
	A7V12/28/55/80/107/160/200/225/250/355/500
	A11V40/60/75/95/130/145/160/190/200/210/260
	A10VG18/28/45/63
	A4VG28/40/56/71/90/125/180/250
	A15VSO175/210/280
	AP2D25/36
KAWASAKI	K3V63/112/140/180/280DT
	K3SP36/K7SP36/K7V63
	K5V80/140/160/180/200
	M2X22/45/55/63/96/120/128/146/150/170/210 SWING
	M5X130/180 SWING
	GM18/35VL/35VA
	HPV 90/95/132/140/165
KOMATSU	PC30/40/45/60-3/5
	PC60-7 PC200-3/5 PC220-6/7 PC200-6/7 PC300-6/7 PC360-7
	PC400-7
	PC200-6/7/8, PC360-7
	SBS80/120/140 CAT312C/320C/325C
	CAT320 (AP-12)
CAT	CAT12G/14G/16G/120G/140G
	SPK10/10(E200B) SPV10/10(MS180)
EATON	EATON 3331/4621(4631)/5421 (5431)/6423/7620(7621)
	PVE19/21 TA19
	PVH45/57/74/98/131/141
TOSHIBA	PVB92
	SG02/04/08/12/15/17/20/25 SWING
NABTESCO	GM03/05/06/07/08/09/10/17/18/20/23
TRAVEL	GM03/05/06/07/08/09/10/17/18/20/23/24/28/35/38VL
	GM35VA
YUKEN	A10/16/22/37/40/45/56/70/90/100/125/145/220
PAKER	PV16/20/23/28/32/40/46/63/80/92/140/180/270
HITACHI	HPV091/102/116/118/145
SAUER	PV90R30/42/55/75/100/130/180/250
	PV20/21/22/23/24/25/26/27
	MPV025/035/044/046 MPT025/035/044/046

HALCYON

**Company Profile** 







# **ABOUT US**

Guangzhou Halcyon-Hydraulic Co. Ltd was founded in 2010 and is located in Guangzhou National High-tech Development Zone. Our main business is to develop and manufacture high pressure piston pumps, motors, spare parts, integrated products of hydraulic system, and equipments repairing and remanufacturing. The company has passed IS09001 quality certification, and has been awarded as "Contract and Trust worthy Enterprise" and "Guangdong High-tech Enterprise".







Q3. Can I have free samples?

A. Usually no, but negotiable according to different products and orders.

Q4. What's the delivery time?

A. 10-60 days after payment, according to different products and orders.

Q5.How to order?

A. Inquiry  $\rightarrow$  Quotation  $\rightarrow$  Negotiation  $\rightarrow$  Samples  $\rightarrow$  PO/PI  $\rightarrow$ Down payment  $\rightarrow$  Mass production

Tags: <u>Excavator Swing Motor,</u> <u>Swing Motor In Excavator,</u> <u>Excavator Hydraulic Swing Motor</u>

HALCYON

Guangzhou Halcyon hydrauli co ., ltd/Guangzhou Huaxin Hydraulic Co., Ltd.

+8619700288729

C chenpei@halcyon-hydraulic.com C hydraulicmachineryparts.com

Room 101, No. 1, Canghai Second Road, Economic And Technological Development Zone, Guangzhou, Guangdong, China