



Excavator Swing Motor Hydraulic Swing Motor with 2000 RPM 200nm Torque and 1 Year Warranty for PC120-6

Our Product Introduction

for more products please visit us on hydraulicmachineryparts.com


Basic Information

- Place of Origin: China
- Minimum Order Quantity: 1
- Price: \$1,210-1,214



Product Specification

- Displacement: Other
- Motor Type: Piston Motor
- Continuous Torque: 200nm
- Max Rpm: 2000 RPM
- Port Size: 3/4 Inch
- Pressure Rating: 2000psi
- Shaft Diameter: 30 Mm
- Weight: 60
- Rated Pressure: 210 Bar
- Max Pressure: 300 Bar
- Oil Port: Single Inlet And Four Outlet
- Cylinder Body Material: Ductile Iron
- Port Plate Material: Double Alloy
- Swash Plate Structure: Hydrostatic Transmission
- Power/Weight Ratio: High



More Images



Product Description

HALCYON Excavator Spare Parts Pc120 Pc120-6 Swing 2nd Carrier Ass'y Swing Gear Parts for Pc Excavator Hydraulic Parts



PC120-6 Inclined shaft plunger motor

Product application: Excavators, drilling rigs, garden machinery and other small travel machinery up to 4 tons

Product characteristics:

- Rated pressure PN 210 bar, maximum pressure Pmax 300 bar
- Total power control, short control time, energy saving and high efficiency
- Special "single inlet and four outlet" oil port for better flow rate management in multi-loop hydraulic systems
- High-quality ductile iron cylinder body and double alloy port plate for light engine compatibility
- Flexible power adjustment to meet various working condition requirements
- Swash Plate structure for hydrostatic transmission in open loop systems
- Flow rate proportional to drive speed and displacement, infinitely adjustable via swash plate angle
- Excellent oil suction performance with low noise level
- Compact, lightweight construction with high power/weight ratio



Looking for more? We offer perfect interchangeable replacements for many world-renowned brands including Rexroth, Eaton, Parker, Kawasaki, Tokimec, Sauer-Danfoss, Komatsu and more.

Compatible Models

Brand Name	Model Numbers
Rexroth	A10VSO10/18/28/45/60/63/71/85/100/140 A2F12/23/28/55/80/107/160/200/225/250/350/500/1000 A4VSO40/45/50/56/71/125/180/250/355/500/750/1000 A7VO28/55/80/107/160/200/250/355/500 A6VM28/55/80/107/140/160/200/250/355/500/1000 A7V12/28/55/80/107/160/200/225/250/355/500 A11V40/60/75/95/130/145/160/190/200/210/260 A10VG18/28/45/63 A4VG28/40/56/71/90/125/180/250 A15VSO175/210/280 AP2D25/36
Kawasaki	K3V63/112/140/180/280DT K3SP36/K7SP36/K7V63 K5V80/140/160/180/200 M2X22/45/55/63/96/120/128/146/150/170/210 SWING M5X130/180 SWING GM18/35VL/35VA
Komatsu	HPV 90/95/132/140/165 PC30/40/45/60-3/5 PC60-7 PC200-3/5 PC220-6/7 PC200-6/7 PC300-6/7 PC360-7 PC400-7 PC200-6/7/8, PC360-7 SBS80/120/140 CAT312C/320C/325C
CAT	CAT320 (AP-12) CAT12G/14G/16G/120G/140G SPK10/10(E200B) SPV10/10(MS180)
Eaton	EATON 3331/4621(4631)/5421 (5431)/6423/7620(7621) PVE19/21 TA19 PVH45/57/74/98/131/141
Toshiba	PVB92 SG02/04/08/12/15/17/20/25 SWING

Nabtesco Travel	GM03/05/06/07/08/09/10/17/18/20/23 GM03/05/06/07/08/09/10/17/18/20/23/24/28/35/38VL GM35VA
Yuken	A10/16/22/37/40/45/56/70/90/100/125/145/220
Parker	PV16/20/23/28/32/40/46/63/80/92/140/180/270
Hitachi	HPV091/102/116/118/145
Sauer	PV90R30/42/55/75/100/130/180/250 PV20/21/22/23/24/25/26/27 MPV025/035/044/046 MPT025/035/044/046

Frequently Asked Questions

Q1. Why choose us?

With over 20 years in hydraulic parts design and 14 years manufacturing experience, we produce branded quality piston pumps and motors. Our factory features modern production equipment, rigorous testing procedures, and a strict quality management system. We welcome ODM/OEM inquiries for high-quality requirements.

Q2. Can I customize the product?

Absolutely. Customization based on drawings or specifications is our specialty and key differentiator. We possess extensive technical expertise and mature production processes in the hydraulic industry.

Q3. Can I have free samples?

Typically no, but negotiable depending on the product and order requirements.

Q4. What's the delivery time?

10-60 days after payment, depending on product type and order specifications.

Q5. How to order?

Standard process: Inquiry → Quotation → Negotiation → Samples → PO/PI → Down payment → Mass production → Quality inspection → Shipping arrangement → Balance payment/Delivery → Future cooperation.



Guangzhou Halcyon-Hydraulic Co. Ltd



+8619700288729



chenpei@halcyon-hydraulic.com



hydraulicmachineryparts.com

Room 101, No. 1, Canghai Second Road, Economic And Technological Development Zone, Guangzhou, Guangdong, China